

ACTIVE INGREDIENT: Bacillus thuringiensis subspecies israelensis	
solids, spores and insecticidal toxins*	2.86%
OTHER INGREDIENTS:	<u>97.14%</u>
TOTAL:	100.00%

*Equivalent to 7,000 International Toxic Units (ITU/mg) (0.091 Billion ITU/pound). Potency units should not be used to adjust rates beyond those specified in the Directions for Use Section. Note: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
Have the product of	container or label with you when calling a poison control center or doctor, or going for treatment.	

See back panel for additional precautionary statements and directions for use.

Net Contents: 40 Pounds (18.2 kg)

EPA Reg. No. 62637-3 EPA Establishment No. 9198-OH-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Mixers/loaders and applicators not in enclosed cabs or aircraft must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergicsensitization.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters. Do not apply to treated, finished drinking water reservoirs or drinking water receptacles.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling. Apply AQUABAC (200 G) to any water sites except treated, finished water reservoirs or drinking water receptacles.

MOSQUITOES:

Habitat Rate Required for Control*

*When late third and early fourth instar larvae predominate, larval populations are high, or water is heavily polluted and/or algae are prevalent, use 10-20 lbs/acre.

SPECIFIC APPLICATION INSTRUCTIONS

Uniformly apply AQUABAC (200 G) in conventional aerial and ground application equipment. Use a seven to fourteen-day interval between applications. Longer periods of mosquito population suppression can result where sufficient numbers of non-target aquatic invertebrate parasites and predators are present, since these are not affected by AQUABAC (200 G) and contribute to mosquito population reduction.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not reuse container.

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.

In case of emergency endangering life and property involving this product, call collect, day or night, (954) 345-9321.